



WarmlyYours

Be Connected.
Be Warm. Be Radiant.

PRODUCT CATALOG



Outdoor Heating Collection



About WarmlyYours Heating

Frequently, we are asked how we chose the name of our company. When we began as an electric radiant heating products business over 20 years ago, we wanted a name that would embody the very essence of our business philosophy – treat our customers well and offer the very best floor-warming systems and services in the industry. And above all else, always deliver on those promises to our customers.

The name WarmlyYours reflects our deep, personal commitment to providing our customers with the exceptional customer service that they deserve. We welcome any questions and relish the opportunity to provide our customers with prompt and friendly assistance. Listening to feedback from thousands of homeowners and installers, we continue to improve on everything we do in our effort to better serve our customers. As a result, we have expanded our portfolio to include other radiant heating products – such as snow melting, pipe freeze protection, and roof and gutter deicing systems – to bring comfort and affordable luxury to all areas of the home.

WarmlyYours has locations in the United States, Canada, and Europe. All of our customers recognize our commitment to exceptional service and product quality.

99% ★★★★★
of our customers report complete satisfaction with our service

97% ★★★★★
of our customers report complete confidence in our product quality




Radiantly Yours

At WarmlyYours, we are proud to offer a radiant solution for every area of life. From our flagship product, our electric floor heating systems, to our outdoor snow melting and deicing options, our award-winning radiant heating panels and complete electric towel warmer collection, we are confident that you will find every need more than matched by our range of high-quality products.

Each product is designed to install easily and includes 24/7 technical support, saving you time and money. Your dedicated account manager is there to support you with a quotation and custom installation plan within 24 hours, and we'll ship your order the very same day you place it. We promise you that our focus on customer service beats any other company in the industry.

Julia Billen – President & Owner



WarmlyYours Advantage

WarmlyYours, with operations around the world, still strives to focus on the details that have turned the company into the industry leading force that it is today: high-quality products and unparalleled customer service.

Over the years, our product offering has expanded but we have never lost focus on making sure these products are durable and functional enough to maintain our standards.

Similarly, we've expanded our customer service offerings by providing 24/7 technical support, free design services, and our SmartServices for installation, in-field troubleshooting, and more.

Start Out Right...

With our trusted experience in producing high-quality, innovative radiant heat products, we not only make comfort attainable, but we make the whole experience easy for you to provide radiant warmth for your clients.

Expansive Product Portfolio

WarmlyYours has an outdoor heating system for nearly every outdoor surface-type—from asphalt to concrete or pavers. Our team of Radiant Experts will make sure that you find the perfect heating system for your project. www.warmlyyours.com/snow-melting/showcases

Online Product Support

We have always believed in empowering our customers which is why we offer a live chat service on our website during business hours so that we can answer any questions you have in real-time and a Snow Melting Quote Builder tool so that you can compare heating systems based on your project information. www.warmlyyours.com/support/snow-melting

Same Day Shipping

For Canadian orders shipping via parcel, simply submit your order by these times and we will process your order and have it on its way by the end of the day:

2:30 PM Eastern Time for UPS, Purolator and Canpar

12 PM Eastern Time for Canada Post

9 AM Eastern Time for Freight



Finish Strong...

We offer unparalleled support for our customers which means that WarmlyYours is going to be there for you when you need us most.

Industry Leading 24/7 Installation Support

We're here for you. Call us anytime – day or night, weekday or weekend – with any questions or installation challenges. That's our commitment to you and your business.

www.warmlyyours.com/services/troubleshooting

No Restocking Fees

At WarmlyYours, we do not have restocking fees for any of our products.

Open Return Policy

Our open return policy is simple—there are no time limits. If we still sell the product and it's in resalable condition, you may return it at any time—even years later. We know that life doesn't always run according to an ideal schedule, and at WarmlyYours, you come first.

The WarmlyYours SmartPlan™


Life is Easier When You Have a Plan

WarmlyYours has condensed decades of radiant heating experience into our **FREE**, no obligation SmartPlans™. Whether you're installing floor heating or a snow melting system, a WarmlyYours SmartPlan™ makes sure your project starts off right and finishes strong.

These complimentary packages, compiled by a team of skilled engineers, include:

- An itemized product quote so you know the exact pricing for your project.
- An electrical plan that tells you exactly what's needed to get your system up and running.
- An installation plan that gives detailed information to cut down on time and effort.

All you have to do to take advantage of this service is to provide WarmlyYours with a simple project sketch, and you'll receive your SmartPlan™, typically within 24 hours. Anyone can draw a project sketch—it doesn't have to be fancy, it just has to show the area dimensions and note any permanent fixtures like drains, grates, trees, etc.



You can send your project sketch to WarmlyYours by:

- Drawing or uploading it directly to the WarmlyYours Snow Melting Quote Builder.
- Faxing it to us at (800) 408-1100.
- Scanning or taking a photo and emailing the file to us at info@WarmlyYours.com.

WarmlyYours SmartPlan™


Custom Installation Plan

As a part of your WarmlyYours SmartPlan, you'll receive a customized installation plan like the one pictured. Following the installation plan closely will help ensure that your project goes smoothly.

This particular installation plan shows a snow melting system installed in a driveway using the tire tracks format instead of full coverage. The tire tracks format is an economical option for driveway snow melting as it cuts down on both material and operating costs while still providing a high degree of functionality.

Labeled Install Plan

- A. Starting points for the heating elements
- B. Ending points for the heating elements
- C. Recommended junction box location
- D. Project information
- E. Product and circuit breaker information
- F. Electrical information including operating cost



<p>WarmlyYours Installation Plan</p> <p>Installation Support (800) 875-5285</p>	<p>Project: Date: Area: Driveway Tire Track - B (Zone 1 of 3 Zone Option) Surface Type: Asphalt</p>	<p>Heating Product: Snow Melt Mat 240V Wattage: 50 W/Sq.ft. Breaker(s): 2 x 20 Amp 240V GFEP Heater Circuit, 2 x 30 Amp 240V GFEP Heater Circuit, 1 x 15 Amp 120V Non-GFI Control Circuit</p>	<p>Operating Cost: \$1.28/hour @ \$0.08/kWh Total Amperage: 66.74 Amps Total Wattage: 16016 Watts Control: SCP-120</p>
--	--	--	---

WarmlyYours SmartPlan™


Electrical Plan

Another crucial component of the WarmlyYours SmartPlan is the electrical plan. This document will contain all of the pertinent electrical information about your system including the expected hourly operating cost and the size/type of circuit breakers that your project may require.

If you ever have any questions about the information in your electrical plan, or just about your project in general, our 24/7 Technical Support Team will be there to provide answers. Just give us a call at 1-800-875-5285.

Labeled Electrical Plan

- A. Project information
- B. Heating element and control voltages
- C. Additional project-specific notes
- D. Heating element product information and specifications
- E. Information about required circuit breakers
- F. Projected hourly operating cost



Exclusively designed for:
Jane Doe

Date: 04/18/2022

Area: Driveway Tire Track -B (Zone 1 of 3 Zone Option)

Plan Number: 123456789

Heating System: 240V* Snow Melt Mat
Control: 120V* Snow and Ice Melting Control Premium

* Verify that the heating system and control is supplied this voltage from the breaker panel.

NOTES

- All power leads travel back to the controller, relay panel or junction box.
- Always test rolls/cables out of the box with an Ohm meter and Mega-Ohm meter. See manual for other required tests.

Electrical Plan & Information

Share this information with your Electrician

A

B

C

#	Width	Length	Lead	Volts	Watts	Amps	Ohms
1	2'	30'	20'	240	3000	12.5	19.2
2	2'	30'	20'	240	3000	12.5	19.2
3	2'	50'	20'	240	5008	20.87	11.4796
4	2'	50'	20'	240	5008	20.87	11.4796
					16016	66.74	

Service Panel

BREAKER SIZE NEEDED:
2 x 20 Amp 240V GFEP Heater Circuit
2 x 30 Amp 240V GFEP Heater Circuit
1 x 15 Amp 120V Non-GFI Control Circuit

System Electrical Consumption

\$2.24/hour*


* This calculation is based on the national average of \$0.14 per kWh, but consumption may vary based on individual conditions.

D

E

F

The Snow Melting Quote Builder



Scan here and check it out for yourself



WarmlyYours has always been at the forefront of radiant heating technology. We were the first company to develop an online quotation tool for radiant heating products because we had both the expertise and the drive to empower our customers during the buying process.


Our Snow Melting Quote Builder represents the culmination of decades of experience and know-how that has been condensed into an easy-to-use tool for getting free and instant radiant heating quotes online.

By simply providing a few project details, you'll be presented with a side-by-side comparison, complete with pricing and product information, of the snow melting systems that will work with your project.

From there, you can purchase the system directly or get a free SmartPlan™ installation plan by uploading a project sketch.

Check it out for yourself by going to <https://www.warmlyyours.com/snow-melting/quote-builder>

Snow Melting Mats



Twin Conductor

Designed for quick and easy installation, our snow melting mats are perfect for walkways, driveways and patios.


The paving material absorbs heat and melts snow and ice, eliminating the need for, and expense of, plowing or deicing chemicals.

The snow melting mats are available in 2' or 3' widths and a variety of different lengths. Because the mats consist of durable heating wire attached to a mesh at 3" spacing, the mats can be installed using the "cut-and-turn" method of installation, which is both fast and a great way to ensure even heating coverage.


Snow melting mats are particularly useful for heating a square or rectangular project like a driveway or walkway.

- Mats install directly in concrete, asphalt or beneath pavers
- Equipped with 20' (6 m) of cold lead for easy power hookup
- Cable spacing provides 50 watts per square foot (538 watts per square meter) on average
- Available in 2' (61 cm) and 3' (91 cm) widths and lengths ranging from 5' (152 cm) to 50' (1,524 cm)
- Each mat features 1/4" (6 mm) diameter, twin conductor, series resistance, constant wattage cable spaced 3" (8 cm) apart
- CSA listed for use in Canadian and U.S. markets
- 10-year limited warranty

For Concrete, Asphalt or
Beneath Pavers



Snow Melting Mat



WHMA-240-0215, WHMA-240-0315, WHMA-240-0320
and WHMA-240-0240 shown above

120 Volt Snow Melting Mats

SKU	DIMENSIONS	SQ.FT.	WATTS	AMPS	MSRP
WHMA-120-0205	2' x 5'	10	500	4.17	\$309
WHMA-120-0305	3' x 5'	15	750	6.25	\$359
WHMA-120-0210	2' x 10'	20	1,000	8.33	\$399
WHMA-120-0215	2' x 15'	30	1,500	12.50	\$559
WHMA-120-0310	3' x 10'	30	1,500	12.50	\$559
WHMA-120-0315	3' x 15'	45	2,250	18.75	\$689

240 Volt Snow Melting Mats

SKU	DIMENSIONS	SQ.FT.	WATTS	AMPS	MSRP
WHMA-240-0210	2' x 10'	20	1,001	4.17	\$399
WHMA-240-0215	2' x 15'	30	1,500	6.25	\$559
WHMA-240-0220	2' x 20'	40	1,999	8.33	\$659
WHMA-240-0230	2' x 30'	60	3,000	12.50	\$919
WHMA-240-0240	2' x 40'	80	4,001	16.67	\$1,119
WHMA-240-0250	2' x 50'	100	5,009	20.87	\$1,369
WHMA-240-0310	3' x 10'	30	1,500	6.25	\$559
WHMA-240-0315	3' x 15'	45	2,251	9.38	\$689
WHMA-240-0320	3' x 20'	60	3,000	12.50	\$919
WHMA-240-0330	3' x 30'	90	4,500	18.75	\$1,239

Project Showcase

Snow Melting Mats


See More Showcases



Heated Driveway

Ontario, Canada



Room Type	Driveway
Watts	44,000 W
Volts	240V
Amps	183A
Size	810 sq. ft.
Operating Cost Per Hour	\$5.75




Walkway

Montreal, QC

Room Type	Walkway
Watts	7,500 W
Volts	240V
Amps	32A
Size	161 sq. ft.
Operating Cost Per Hour	\$0.84



Snow Melting Cables



Twin Conductor

Snow melting cable is ideal for heating an oddly shaped or round driveway or patio. Our cables are designed for maximum flexibility, making them perfect for all types of unusually shaped areas and stairways.


The cable is a cost effective alternative to snow melting mats however snow melting cable also requires more installation time.

Our snow melting cables are available in a wide variety of lengths and voltages (120, 208, 240, and 277), which means you're sure to find the right fit for your project whether it's residential or commercial.


Another huge benefit of snow melting cables is that our team of engineers can design your project with the cable at different spacings than the standard 3" between each run of cable.

This can increase or decrease the heat output of the system per square foot, depending on your needs.

For Concrete, Asphalt or Beneath Pavers



Snow Melting Cable



- Cables install directly in concrete, asphalt or beneath pavers
- Equipped with 20' (6 m) of cold lead for 120V and 240V, 50' (15.2 m) for 208V and 277V
- CSA Listed for use in Canadian and U.S. markets
- 1/4" (6 mm) twin-conductor series resistance cable
- Available in lengths ranging from 43' (13.1 m) to 502' (153 m)
- 10-year limited warranty

120 Volt Snow Melting Cables

SKU	LENGTH	SQ.FT.*	WATTS	AMPS	MSRP
WHCA-120-0043	43.0'	10.8	500	4.17	\$279
WHCA-120-0063	63.0'	15.8	750	6.25	\$319
WHCA-120-0086	85.5'	21.5	1,000	8.33	\$359
WHCA-120-0126	125.5'	31.5	1,500	12.50	\$499
WHCA-120-0188	188.0'	47.0	2,250	18.75	\$619

* Square foot coverage based on 3" spacing of cable

240 Volt Snow Melting Cables

SKU	LENGTH	SQ.FT.*	WATTS	AMPS	MSRP
WHCA-240-0086	85.5'	21.5	1,000	4.17	\$359
WHCA-240-0128	128.0'	32.0	1,500	6.25	\$499
WHCA-240-0171	171.0'	42.8	1,999	8.33	\$589
WHCA-240-0188	188.0'	47.0	2,251	9.38	\$619
WHCA-240-0251	251.0'	62.8	3,000	12.50	\$819
WHCA-240-0342	342.0'	85.5	4,001	16.67	\$1,009
WHCA-240-0377	376.5'	94.3	4,500	18.75	\$1,099
WHCA-240-0428	428.0'	107.0	5,009	20.87	\$1,229

* Square foot coverage based on 3" spacing of cable

208 Volt Snow Melting Cables

SKU	LENGTH	SQ.FT.*	WATTS	AMPS	MSRP
WHCA-208-0100	100.0'	25.00	1,200	5.8	\$509
WHCA-208-0200	200.0'	50.00	2,400	11.6	\$719
WHCA-208-0377	377.0'	94.13	4,500	21.7	\$1,149

* Square foot coverage based on 3" spacing of cable

277 Volt Snow Melting Cables



SKU	LENGTH	SQ.FT.*	WATTS	AMPS	MSRP
WHCA-277-0100	100.0'	25.00	1,200	4.4	\$509
WHCA-277-0200	200.0'	50.00	2,400	8.7	\$719
WHCA-277-0377	377.0'	94.13	4,500	16.3	\$1,149
WHCA-277-0502	502.0'	125.50	6,000	21.7	\$1,519

* Square foot coverage based on 3" spacing of cable

Project Showcase

Snow Melting Cable


See More Showcases



Heated Stairs

Chicago, IL


Room Type	Stairway
Watts	4,001 W
Volts	240V
Amps	17A
Size	62.75 sq. ft.
Operating Cost Per Hour	\$0.36



Heated Stairs and Landing

Chicago, IL

Room Type	Stairs
Watts	3,000 W
Volts	240V
Amps	12.5A
Size	63 sq. ft.
Operating Cost Per Hour	\$0.33



Snow Melt Embeddable Attachment Grid


This USA-made embeddable attachment grid is for installing snow melting cables under pavers or on top of existing concrete surfaces such as stairs, walkways, or driveways. The primary use of this snow melting grid is to provide a framework to attach the snow melting cables to—typically with cable ties (sold separately). This allows for you to maintain proper spacing between the heating elements which will prevent overheating or “cold spots”. Another benefit is that it allows you to control the depth of the heating elements to ensure optimal performance.

In addition to being embedded under pavers or on top of existing concrete surfaces, this product can be embedded under bluestone or under tiles with thinset. Please note that this product should not be used with snow melting mats or in projects involving asphalt or a new concrete pour.


This snow melt grid is composed of high-molecular weight, high-tenacity multi-filament polyester yarns that are woven into a stable network placed under tension and coated with PVC. Product has an additional benefit like bi-directional expansion strength that is commonly used by landscaping and paving contractors.

- For installing snow melting cables under pavers or on top of existing concrete surfaces
- Helps to maintain proper depth and spacing for snow melting heating elements
- 1" x 1" (2.5 cm x 2.5 cm) square grid pattern allows for quick cable attachment and design flexibility
- Lightweight and durable with a high degree of bi-directional expansion strength
- Should not be used for asphalt or new pour concrete projects

For Pavers and Existing
Concrete Surfaces



Snow Melt Embeddable Attachment Grid (3' x 50')



Cable Information

SKU	Coverage	Length/Width	MSRP
SMG-U350	150	50' x 3'	\$119

Snow Melting Controls



SC-MZ-TOUCH

— USE WITH —



AIR-SS-2

OR



SC-SS-PAV-6E-KIT



SCP-120

— USE WITH —



AIR-SS-2

AND/OR



SC-SS-PAV-6E-KIT



SCV-DUAL

ZoneBraker Touchscreen Multi-Zone Snow Melting Controller

\$5,299 (Sensor not included)

The automatic ZoneBraker Touchscreen Multi-Zone Snow Melting Controller is a high-tech yet intuitive option for controlling your electric snow melting system. The device allows for zoned control of the heating system. This means the total heating coverage can be broken into 4 separate zones (1 zone per contactor for each of the 4 contactors).

These zones can then be “turned on” independently. Zoned control like this means that the ZoneBraker can be used to operate a larger heating system since only one zone will be turned on at the same time, which reduces the total power load. This is particularly useful for big projects where available amperage may be limited, like larger driveways or walkways.

The ZoneBraker does require the use of either a Snow Melt Aerial Sensor (sold separately, SKU: AIR-SS-2) or a Pavement Snow and Ice Sensor Kit (sold separately, SKU: SC-SS-PAV-6E-KIT) to enable automatic control.

The WarmlyYours SC-MZ-TOUCH is backed by a 2-year limited warranty.

Snow and Ice Melting Control Premium

\$2,999 (Sensor not included)

The SCP-120 premium, automatic snow/ice melting control provides for easy installation and operation to minimize energy use. For use with WarmlyYours snow melting or roof and gutter deicing systems, it operates electrically- and mechanically-held contactors for pilot duty applications.

The SCP-120 Premium Snow Melt Control includes an OT-Sensor (for use as an additional slab temperature sensor) and features a NEMA 3R wall-mounted enclosure (recommended for indoor installation). With an Energy Management Computer (EMC) interface and heater hold-on and test capabilities, the unit is rated for 120/240 VAC and supports up to six sensors (aerial, gutter, or pavement). cULus Listed for use in Canada and the U.S.

The maximum load for this control is 24 Amps. We do recommend that it is used in conjunction with a compatible relay panel.

The WarmlyYours SCP-120 is backed by a 2-year limited warranty.

Value Snow Melt Control

\$819 (Built-in snow and temperature sensor)

This configurable aerial snow melting controller makes automatic snow melting cost-effective in even the smallest applications. Heaters operate at temperatures below the default set point (38°F or 3.3°C) only when the sensor detects precipitation at temperatures below 38°F.

Plus, the adjustable hold-on period (3 hours default) continues heater operation after snow stops to ensure complete melting. The SCV-DUAL controller includes an internal magnetic reed switch used for manual heater cycling, as well as configuring the temperature set point and the hold-on time.

The controller operates from 100 to 240 VAC to work with a wide variety of applications. It also controls heater loads up to 16 amps.

The WarmlyYours SCV-DUAL is backed by a 2-year limited warranty.

Snow Melting Controls



SCA-DUAL



— USE WITH —

AIR-SS-2

— AND/OR —

SC-SS-PAV-6E-KIT

Advanced Snow and Ice Melt Control

\$1,199 (Sensor not included)

The SCA-DUAL enables automatic control of snow melting and roof and gutter deicing systems to minimize operating costs.

The control includes an adjustable hold-on timer to continue heater operation up to 8 hours after snow and ice accumulation stop to ensure complete melting.

The WarmlyYours SCA-DUAL is backed by a 2-year limited warranty.



SCE-120

— USE WITH —



SCE-SLAB-SS-KIT

Snow and Ice Melting Control Economy

\$1,449 (Sensor not included)

The SCE-120 provides for economical, automatic operation of snow melting or roof and gutter deicing systems.

Featuring a UL Listed, wall-mounted metal enclosure, the SCE-120 enables detection of temperature and moisture. For use with slab, ambient, and gutter sensors.

This affordable control option is easy to program and includes a digital interface and maximum 3 sensor capability. The SCE-120 is CSA Certified.

The WarmlyYours SCE-120 is backed by a 2-year limited warranty.



SCM-DUAL

Snow and Ice Melting Timer Control

\$799 (Sensor not applicable)

The SCM-DUAL features a 12-hour, adjustable timer and a NEMA 1 enclosure with hinged cover. The operation of this control couldn't be easier as the user can simply turn the timer to their desired heating duration.

It includes a 2-pole relay and terminal block for easy wiring. For projects with a smaller amperage draw (20 Amps for 120V or 10 Amps for 240 - 277V), the SCM-DUAL can be used without a relay panel.

Using a relay panel, sold separately, allows control of larger jobs and can help switch voltages ranging from 120V to 277V.

The WarmlyYours SCM-DUAL is backed by a 2-year limited warranty.



SCW-120-15A

Snow and Ice Melting WiFi Control **\$899** (Sensor not applicable)




This WiFi enabled built-in switch opens a variety of possibilities for how you operate your snow melting system. You can use it manually like a traditional on/off switch or you can operate it remotely with your smart device.


This control requires the use of a relay panel (sold separately) and is compatible with various home automation systems like Amazon Alexa, Google Assistant, SmartThings, Nest, Ring, and IFTTT (no automation hub required). This unit can be used without a relay when using 120V power and can switch up to 15 amps. For 240V jobs, a relay panel is required.




The WarmlyYours SCW-120-15A is backed by a 2-year limited warranty.




Snow Melting

Sensors, Relays and Accessories

Sensors				
IMAGE	SKU	NAME	FOR USE WITH	MSRP
	AIR-SS-2	Aerial-Mounted Snow Sensor, 24 Volt	Use with SCP-120 and/or the SCA-DUAL	\$749
	SCE-SLAB-SS-KIT	Snow Melting Slab Sensor Kit (ETOG-56 Sensor + Housing)	Use with SCE-120	\$749
	SC-SS-PAV-6E-KIT	Pavement Snow and Ice Sensor Kit	Use with SCP-120 or SCA-DUAL	\$1,665

Override				
IMAGE	SKU	NAME	FOR USE WITH	MSRP
	RCO	Remote Manual Override, 24 Volt	Use with SCP-120 and/or the SCA-DUAL	\$449

Junction Boxes				
IMAGE	SKU	NAME	FOR USE WITH	MSRP
	SM-JBOX-IG-S	Outdoor Snow Melting Junction Box - Small - In-Ground	Can accommodate 1 or 2 cold leads	\$119
	SM-JBOX-IG-L	Outdoor Snow Melting Junction Box - Large - In-Ground	Can accommodate 3 or 8 cold leads	\$269
	SM-JBOX-WM-L	Outdoor Snow Melting Junction Box - Large - Wall-Mounted	Can accommodate 8 cold leads	\$459

Relays				
IMAGE	SKU	NAME	FOR USE WITH	MSRP
	RLY-4PL-CC	Small Relay Panel, 120 Coil Voltage, (2) 2-Pole	A minimum of 1 Relay Panel is required per Snow Melting System	\$549
	RLY-8PL-CC	Medium Relay Panel, 120 Coil Voltage, (4) 2-Pole		\$719
	RLY-12PL-CC	Large Relay Panel, 120 Coil Voltage, (6) 2-Pole		\$949

Ice Shield

Roof & Gutter Deicing Cable



When ice and snow accumulate on a building's roof or gutters, they can cause ice dams, which can lead to significant water damage requiring costly repairs.

Equipped with temperature and moisture sensors, the Ice Shield Self-Regulating Roof & Gutter Deicing Cable heating system can detect and begin melting snow and ice, creating a pathway for water to drain properly and avoiding potential damage.

The self-regulating cable, which fluctuates wattage per linear foot in response to the temperature outdoors, is highly energy efficient, which can save on operating cost.

Features

- 16 AWG nickel-coated copper bus wires
- Safe: cULus and cCSAus listed
- Energy Efficient
- Hardwired
- 4-10 watts per linear ft.
- Available in 120V and 240V. The 240V cable can be used for commercial applications at 208V or 277V
- Backed by WarmlyYours 10-year warranty

Accessories

- SR-PWR-KIT - Power Connection Kit (with End Seal Kit JSR12)
- Aluminum 3-prong clips attach to asphalt shingles and metal gutters and roofs (sold in pkgs of 25)
- Double sided tape pads for AL-CL clips (sold in pkgs of 25)
- 1 quart primer - adheres clips to EPDM or rubber
- SR-PLUG-KIT - Plug-in Conversion Kit with GFEP for Self-Regulating Heating Cable (Includes End-Seal Kit)

Melts Snow and Ice from Most Roof Types and Gutters



Roof and Gutter Deicing Cable with tape and 3-prong clips

Cable Information

SKU	VOLTAGE	LENGTH	MSRP
ET-SR-120-05-0050	120	50 ft.	\$500
ET-SR-120-05-0100	120	100 ft.	\$850
ET-SR-120-05-0250	120	250 ft.	\$1,900
ET-SR-120-05-0500	120	500 ft.	\$3,700
ET-SR-120-05-1000	120	1,000 ft.	\$7,300
ET-SR-240-05-0050	240	50 ft.	\$500
ET-SR-240-05-0100	240	100 ft.	\$850
ET-SR-240-05-0250	240	250 ft.	\$1,900
ET-SR-240-05-0500	240	500 ft.	\$3,700
ET-SR-240-05-1000	240	1,000 ft.	\$7,300


Ice Shield

Self-Regulating Control Packages



SCA-DUAL

USE WITH



AIR-SS-2

GTR-SS

Advanced Snow & Ice Melt Control

\$1,199 (Sensor not included)

The SCA-DUAL provides for advanced control of snow melting and roof and gutter deicing systems to minimize operating costs. It operates electrically- and mechanically-held contactors for pilot duty applications.

With automatic and manual override operator controls, the SCA-DUAL includes an adjustable hold-on timer to continue heater operation up to 8 hours after snow and ice accumulation stop to ensure complete melting.

Featuring a weather-resistant NEMA 4X enclosure, this unit handles resistive loads up to 30 amps and operates at 100 - 277 Vac and 50/60 Hz. C-UL-US Listed, the SCA-DUAL has a maximum 2 sensor capability and can be used with the GTR-SS and/or AIR-SS-2 sensors.

The WarmlyYours SCA-DUAL is backed by a 2-year limited warranty.



SCE-120

USE WITH



SCE-GTM-SS

SCE-AMB-SS

Economy Snow & Ice Melt Control

\$1,449 (Sensor not included)

The SCE-120 provides for economical, automatic operation of snow melting or roof and gutter deicing systems.

Featuring a UL Listed, wall-mounted metal enclosure, the SCE-120 enables detection of temperature and moisture.

For use with SCE-AMB-SS and SCE-GTM-SS sensors, this affordable control option is easy to program and includes a digital interface and maximum 2 sensor capability. The SCE-120 is CSA Certified for use in Canada and the U.S.

The WarmlyYours SCE-120 is backed by a 2-year limited warranty.



SCP-120

USE WITH



AIR-SS-2

GTR-SS

Premium Snow & Ice Melt Control

\$2,999 (Sensor not included)

The SCP-120 premium, automatic snow/ice melting control provides for easy installation and operation to minimize energy use. For use with WarmlyYours snow melting or roof and gutter deicing systems (with the AIR-SS-2 and/or GTR-SS sensor), it operates electrically- and mechanically-held contactors for pilot duty applications

The SCP-120 premium snow melt control includes an OT-Sensor (for use as an additional air temperature sensor) and features a UL-Listed, wall-mounted NEMA 3R enclosure.

With an Energy Management Computer (EMC) interface and heater hold-on and test capabilities, the unit is rated for 120Vac and supports up to six sensors. CSA Certified for use in Canada and the U.S.

The WarmlyYours SCP-120 is backed by a 2-year limited warranty.



SCM-DUAL

Timer Control Snow & Ice Melt

\$799 (Sensor not applicable)

The WarmlyYours SCM-DUAL snow and ice melting timer control is a simple, affordable option for snow melting, slab heating, and roof and gutter deicing systems.

At 120 VAC operational voltage, this unit features a 12-hour, adjustable timer and a NEMA 1 enclosure with hinged cover. It includes a 2-pole relay and terminal block for easy wiring. The SCM-DUAL is appropriate for use with relay panels.

The WarmlyYours SCM-DUAL is backed by a 2-year limited warranty.

Ice Shield

Roof & Gutter Deicing DIY Kits

One of the leading causes of roof and gutter damage is degradation caused by the formation of ice dams during winter. These harmful accumulations can wreak havoc on your roof or gutters, leading to leaks, loss of property value, and even costly replacements.

Save yourself the headache by installing a DIY-friendly Ice Shield: Roof and Gutter Deicing Kit from WarmlyYours. The 120 V constant-wattage (5 watts per linear foot) heating cables will prevent damage to your roof and gutters all winter long.

These kits include everything you'll need for an easy and safe installation.

Features

- Output: 5 w/ft.
- 6 ft. Cold Lead length
- Plug-in Connection
- 1 in. Bending Radius
- Twin Conductor
- 2-year warranty
- cUL Listed, CSA Listed, and cETLus Listed

Melts Snow and Ice from Most Roof Types and Gutters



Roof and Gutter Deicing DIY Kit

Kit Sizes					
SKU	SIZE	WATTS	AMPS	MSRP	
ETC120-5W-020-WY	20 ft.	100	0.8	\$69	
ETC120-5W-030-WY	30 ft.	150	1.25	\$81	
ETC120-5W-060-WY	60 ft.	300	2.5	\$105	
ETC120-5W-080-WY	80 ft.	400	3.33	\$116	
ETC120-5W-100-WY	100 ft.	500	4.17	\$128	
ETC120-5W-120-WY	120 ft.	600	5.0	\$164	
ETC120-5W-160-WY	160 ft.	800	6.7	\$222	
ETC120-5W-200-WY	200 ft.	1000	8.3	\$281	
ETC120-5W-240-WY	240 ft.	1200	10.0	\$328	

Project Showcase

Roof and Gutter Deicing


See More Showcases



Roof & Gutter Deicing System

Naperville, IL


Room Type	Roof
Watts	2,500 W
Volts	120V
Amps	20.8A
Size	250 ft.



Roof & Gutter Deicing Install

Clarendon Hills, IL

Room Type	Roof
Watts	2,500 W
Volts	120V
Amps	20.84A
Size	250 ft.



PRO-TECT

DIY Constant Wattage Heating Cable for Pipes

A burst water pipe in the dead of winter can be a huge inconvenience and completely replacing the insulation needed to prevent pipes in perimeter walls and crawlspaces from freezing can be cost-prohibitive.

To keep your most vulnerable pipes from freezing, the simple and DIY-friendly solution is to install a PRO-Tect heating cable for pipes. This 120 V plug-in heating cable generates heat (7 watts per linear foot) which will keep your pipes from freezing in low temperatures.

The integrated thermostat control, located between the non-heating lead cable and the heating wire itself, will ensure a consistent temperature while minimizing energy use.

The thermostat turns the heating cable on when exposed to temperatures below 37.4°F. It will shut the heating cable off when the pipe has been heated to a temperature of approximately 50°F.

Prevent Pipes from Freezing
in Low Temperatures



*PRO-Tect DIY Constant Wattage
Heating Cable for Pipes*

Features

- Easy plug-in operation with indicator light and integrated thermostat
- Available sizes listed below
- Stops pipes from freezing at temps as low as -40°F
- 7 watts per linear foot (constant wattage)
- Safe: cUL Listed, CSA Listed, and cETLus Listed

Kit Sizes

SKU	SIZE	WATTS	AMPS	MSRP
PTC120-7W-003	3 ft.	21	0.2	\$45
PTC120-7W-006	6 ft.	42	0.4	\$60
PTC120-7W-009	9 ft.	63	0.5	\$65
PTC120-7W-012	12 ft.	84	0.7	\$75
PTC120-7W-015	15 ft.	105	0.9	\$80
PTC120-7W-018	18 ft.	126	1.1	\$85
PTC120-7W-024	24 ft.	168	1.4	\$90
PTC120-7W-030	30 ft.	210	1.8	\$100
PTC120-7W-040	40 ft.	280	2.3	\$120
PTC120-7W-060	60 ft.	420	3.5	\$130
PTC120-7W-080	80 Ft.	560	4.7	\$160

PRO-TECT



Self-Regulating Pipe Freeze Protection Cable

Cold temperatures and non-flowing water pipes don't mix well. Residentially, these frozen pipes can mean inconvenience and high repair costs, but in an industrial or light-commercial setting, it can mean huge losses in productivity and potential damage to expensive property.

The PRO-Tect Pipe Freeze Protection Self-Regulating Heating Cable from WarmlyYours provides a reliable, energy efficient defense to protect vulnerable pipes from freezing.

Features

- Available in lengths of 50' (15.2 m), 100' (30.4 m), 250' (76.2 m), 500' (152.4 m), and 1000' (304.8 m) (8W and 10W cables are only available in 50' (15.2 m) lengths)
- May be overlapped and criss-crossed
- cULus and cCSAus listed
- 5/8/10 Watts per Foot (120V / 240V)
- 240 V cable may be used at 208V or 277V
- Varies wattage output automatically
- Very flexible construction
- Rugged 16 AWG bus wire design
- Warranty: 10-years

Prevent Pipes from Freezing
in Low Temperatures



PRO-Tect Self-Regulating Pipe Freeze Protection Cable

Works with the
Following Controls



SR-PLUG-KIT



AIR-STAT



PT-ECONOMY



PT-SINGLE



PT-DUAL

Cable Information

SKU	LENGTH	VOLTS	WATTS PER FOOT*	MSRP
PT-SR-120-05-0050	50'	120	5	\$500
PT-SR-120-08-0050	50'	120	8	\$570
PT-SR-120-10-0050	50'	120	10	\$650
PT-SR-120-05-0100	100'	120	5	\$850
PT-SR-120-05-0250	250'	120	5	\$1,900
PT-SR-120-05-0500	500'	120	5	\$3,700
PT-SR-120-05-1000	1000'	120	5	\$7,300
PT-SR-240-05-0050	50'	240	5	\$500
PT-SR-240-08-0050	50'	240	8	\$570
PT-SR-240-10-0050	50'	240	10	\$650
PT-SR-240-05-0100	100'	240	5	\$850
PT-SR-240-05-0250	250'	240	5	\$1,900
PT-SR-240-05-0500	500'	240	5	\$3,700
PT-SR-240-05-1000	1000'	240	5	\$7,300

*Wattage output when cable is at 50°F (10°C)

PRO-TECT

Self-Regulating Pipe Freeze Protection Cable



Maximum Length vs. Circuit Breaker Size

Minimum Start-up Temp.	Breaker size	5 Watts per Foot				8 Watts per Foot				10 Watts per Foot			
		Amps	120V	208V	240V	277V	120V	208V	240V	277V	120V	208V	240V
0°F	15	140	268	285	311	100	184	200	222	80	147	160	178
	20	190	357	380	414	130	244	265	294	110	198	215	239
	30	270	508	540	589	200	368	400	444	160	299	325	361
	40	270	508	540	589	210	386	420	466	180	331	360	400
-20°F	15	125	235	250	273	85	161	175	194	70	133	145	161
	20	165	310	330	360	115	216	235	261	95	175	190	211
	30	250	470	500	545	175	322	350	389	145	262	285	316
	40	270	508	540	589	210	386	420	466	180	331	360	400
-40°F	15	110	207	220	240	80	143	155	172	60	115	125	139
	20	145	277	295	322	105	193	210	233	85	156	170	189
	30	220	414	440	480	155	290	315	350	125	235	255	283
	40	270	508	540	589	210	386	420	466	170	313	340	377

PRO-TECT

Self-Regulating Cable Control Packages



AIR-STAT

AIR-STAT Control

\$469

The AIR-STAT outdoor thermostat provides basic control for roof and gutter deicing or pipe freeze protection systems. It detects temperature only, activating the system for continuous operation at 40°F or below.

The AIR-STAT thermostat is UL Listed and features a NEMA 4X enclosure and a 3-foot, bulb-and-capillary type sensor.

It is rated for a maximum 22 amps and can be used with 120V or 240V roof and gutter deicing systems. Comes with a built-in capillary bulb sensor with a 3 foot sensor lead.



PT-ECONOMY

PT-ECONOMY Control

\$1,199

The PT-ECONOMY is a affordable pipe freeze protection control for most commercial applications and residential applications.

It comes with four manually adjustable temperature set points: 30, 38, 45, and 50 degrees Fahrenheit. It comes with a built-in relay (capable of handling up to 30 amps), a 20-ft. sensor, and Ground Fault Equipment Protection (GFEP).

This control can be installed outdoors (NEMA 4X rated waterproofing). Works with voltages ranging from 100-277 VAC.



PT-SINGLE

PT-SINGLE Control

\$1,699

The PT-SINGLE is a control that can be used with WarmlyYours PRO-Tect: Pipe Freeze Protection Self-Regulating Heating Cable for most commercial (non-hazardous) and residential pipe freeze protection or process heating applications.

This control comes with single temperature sensor and a built-in relay, which will allow it to control a heating circuit with a resistive load of up to 30-amps.

Another added benefit of this control is that the integrated Ground Fault Equipment Protection (GFEP) in the heating circuit eliminates the need for GFEP protection in a circuit panel, which can significantly save on cost.

The temperature set-points for the control are adjustable from -99.9 °F to 999 °F (Note: please confirm the separate temperature rating of the heating element/s you use with the control) though the included sensor has an operating range of -40 °F to 230 °F.



PT-DUAL

PT-DUAL Control

\$2,299

The PT-DUAL is a control that can be used with WarmlyYours PRO-Tect: Pipe Freeze Protection Self-Regulating Heating Cable for most commercial (non-hazardous) and residential applications that require 2 independent heater-control circuits.

This control can be used for pipe freeze protection or process heating applications. Because this control comes with 2 temperature sensors and 2 built-in relays, it can independently or jointly control 2 resistive loads of up to 30-amps apiece.

Another added benefit of this control is that the integrated Ground Fault Equipment Protection (GFEP) in each of the heating circuits eliminates the need for GFEP protection in a circuit panel, which can significantly save on cost.

The temperature set-points for the control are adjustable from -99.9 °F to 999 °F.

PRO-TECT

Self-Regulating Cable Accessories





IMAGE	SKU	NAME	MSRP
	PT-PWR-KIT-H	Pipe Freeze Protection Power Connection Box with Heat Shrinks (Hazardous Location)	\$249
	SR-PLUG-KIT	Plug-in Conversion Kit with GFEP for Self-Regulating Heating Cable (Includes End-Seal Kit)	\$149
	PT-SPLICE-T-H	Pipe Freeze Protection T-Splice Kit (Hazardous Location Rated)	\$149
	PT-SPLICE-L-H	Pipe Freeze Protection In-Line Splice Kit (Hazardous Location Rated)	\$135
	PT-SPLICE	Pipe Freeze Protection Splice Kit (for In-Line and T-Splice)	\$69
	PT-END-KIT-H	Pipe Freeze Protection End Seal Termination Kit (Hazardous Location Rated)	\$40
	PT-TAPE-FG	Pipe Freeze Protection Fiberglass Tape 1/2 in. x 66 ft.*	\$30
	PT-TAPE-AL	Pipe Freeze Protection Aluminum Tape 2 in. x 98 ft.*	\$15
	PT-LABEL-RED	Pipe Freeze Protection Warning Labels - Red	\$2


*Also works with PRO-Tect DIY Constant Wattage Heating Cable for Pipes.



Be Connected.
Be Warm. Be Radiant.

WarmlyYours HQ 
590 Telser Road,
Lake Zurich, IL 60047

WarmlyYours 
300 Granton Drive, Unit 4A
Richmond Hill, ON L4B1H7

WarmlyYours 
Blaak 520 3011 TA
Rotterdam, Netherlands

800-875-5285
www.WarmlyYours.com

Connect with Us



Industry leading 24/7 installation and technical support.
Our experts can answer any technical questions on
any product we offer, 24/7.



Scan here to learn
more about Outdoor
Heating Systems

Ask us about our Floor Heating
and Comfort Collection Catalog.

Pricing subject to change without notification.